Crops		Growth Stage	Products	Recommended dosage in 100 liters of water	Mode of Application
Cardamom	a)	For New Planting.	Super Hume	200 ml	Soil Drenching (1-2
	b)	For Panicle initiation (Dry Summer).	Super Hume	200 ml	Itr/plant) Soil Drenching
	c)	For early recovery of (Azhugal damage) plants with new roots.	Super Hume	200 ml	Soil Drenching
	d)	For bold Capsules with good cream co lour and weight.	1.Super Seaweed + Microboost	300 ml + 300 ml	Spray
			2. BIO-NPK 10-8-8 + MicroBoost	500 ml + 250 ml	Spray
	a)	For new nursery plant.	Super Hume	200 ml	Soil Drenching
Vanilla	b)	To enhance flowering.	Super Seaweed	300 ml	Spray
	c)	Immediately after water stress.	Super Hume	100 ml	Spray + Soil Drenching
	d)	For been growth and maturation.	1.Microboost + Super Seaweed	300 ml + 200 ml	Spray
		maturation.	2. BIO-NPK 10-8-8 + MicroBoost		
Pepper	a)	For nursery and new plants.	Super Hume	100 ml	Soil Drenching
	b)	For spike initiation.	Super Seaweed + Microboost	200 ml + 100 ml	Spray
	c)	For berry development and maturation.	1. Microboost + BioNPK 10-8-8	250 ml + 500 ml	Spray
Rubber	a)	Nursery and trees under non- growth.	Super Hume	200 ml	Soil Drenching
	b)	For tapping trees.	Super Hume + Super Seaweed	200 ml + 100 ml	Soil Drenching
Tea	a)	In nursery.	Super Hume	100 ml	Spray
	b)	Plucking stage (summer period).	Super Hume + Super seaweed	200 ml + 100 ml	Spray
	c)	Immediately after pruning.	Super Hume + MicroBoost	200 ml + 250 ml	Soil Drenching
	d)	Active plucking period. (30 to 45 days intervals	1. Seaweed + Microboost	250 ml + 250 ml	Spray
			2. BIONPK 16-4-8 + MicroBoost	500 ml + 300 ml	
	a)	For nursery and new planting.	Super Hume	100 ml	Soil Drenching
Coffee	b)	Flowering stage (candle stage).	Super Seaweed + Super Hume	100 ml + 100 ml	Spray
	c)	Berry maturation developing.	Microboost + Super Seaweed	200 ml + 200 ml	Spray

Crops		Growth Stage	Products	Recommended dosage in 100 liters of water	Mode of Application
Zinger	e)	For New Planting.	Super Hume	200 ml	Soil Drenching (1-2 Itr/plant)
	f)	For Panicle initiation (Dry Summer).	Super Hume	200 ml	Soil Drenching
	g)	For early recovery of (Azhugal damage) plants with new roots.	Super Hume	200 ml	Soil Drenching
	h)	For rhizomes growth and weight.	1.Super Seaweed + Microboost	300 ml + 300 ml	Spray
		(Monthly intervals)	2. BIO-NPK 10-8-8 + MicroBoost	500 ml + 250 ml	Spray
Herkins (Cucumbers)	e)	For new nursery plant.	Super Hume	200 ml	Soil Drenching
	f)	To enhance flowering.	Super Seaweed	300 ml	Spray
	g)	Immediately after water stress.	Super Hume	100 ml	Spray + Soil Drenching
	h)	For fruits growth and maturation.	1.Microboost + Super Seaweed  2. BIO-NPK 10-8-8 + MicroBoost	300 ml + 200 ml	Spray
Turmeric	i)	For New Planting.	Super Hume	200 ml	Soil Drenching (1-2 ltr/plant)
	j)	For Panicle initiation (Dry Summer).	Super Hume 200 ml	200 ml	Soil Drenching
	k)	For early recovery of (Azhugal damage) plants with new roots.	Super Hume	200 ml	Soil Drenching
	I)	For rhizomes growth and weight.	1.Super Seaweed + Microboost	300 ml + 300 ml	Spray
			2. BIO-NPK 10-8-8 + MicroBoost	500 ml + 250 ml	Spray

Any indoor plants: Please try 50% of the above recommendations and increase the frequency of application as 15 to 20 days intervals.

Any Scientific Questions about these products and any soil fertility related problems!!!

Please contact:

Ilangovan Ramasamy, Ph.D President, AgrilfoTech, Inc. 166 Lawrence Rd, Salem –NH, 03079 USA WWW.AGRIINFOTECH.COM

Phone: 603-894-7346; Cell: 603-781-9097 e-mail: ilangovan@agriinfotech.com