

MICRO-BOOST

Complex Micro-Nutrients & Vitamins

Analysis:

- Chelated Magnesium as (Mg) 1.70%
- Chelated Zinc as (Zn) 0.75%
- Chelated Iron as (Fe) 3.50%
- Chelated Manganese as (Mn) 0.75%
- Boron as (B) 0.20%
- Molybdenum as (Mo) 0.003%
- Combined Sulfur as (S) 4.00%

Derived from: Magnesium Glucoheptonate, Zinc Glucoheptonate, Iron Glucoheptonate, Sodium Molybdate, Manganese glucoheptonate Complex and Sodium Borate.

Directions for Use:

Ornamental & Young Plants: Mix 2 teaspoons Micro-Boost with 1 gallon of water. Moisten both sides of the leaves only to the point of run-off. Use misting spray bottle to apply. *Use every 7-10 days or as needed.¹

Gardens, Young Trees & Hardy Plants: Mix 1 tablespoon Micro-Boost to each 1 gallon of water. Moisten both sides of the leaves only to the point of run-off. Use misting spray bottle or pump up sprayer to apply. ¹Use every 10-14 days or as needed. *

Lawns: Apply 1 quart per 10,000 FT² with hose end. Set dial on 2oz/Gal. Apply before or after each fertilization. *Use only 1-2 times per season. *

Hardy Trees Mix 1/2 to 1 oz Micro-Boost to each 1 gallon of water. Moisten both sides of the leaves only to the point of run-off. Use misting spray bottle or pump up sprayer to apply.

AGRICULTURE: Apply +2 pt for ROW CROPS to 2-3 qt. for FRUIT TREES, MICRO BOOST with sufficient water to cover per acre. Moisten both sides of the leaves only to the point of run-off.

**Repeat as indicated visually or by leaf tissue test, or as part of a regular maintenance foliar feed program. *

***DO NOT mix with other products. Highly concentrated DO NOT over apply. ***

To ensure compatibility with foreign spray mixes, a jar compatibility test is recommended before mixing with other products other than water in the tank.

CONDITIONS OF SALE: BUYER ASSUMES ALL RESPONSIBILITY FOR USE, STORAGE, HANDLING AND DISPOSAL OF THIS PRODUCT WHEN NOT IN ACCORDANCE WITH LABEL DIRECTIONS. U.S. INC. AND ITS DISTRIBUTOR'S LIMIT OF WARRANTY EXTENDS ONLY TO REPLACEMENT OF DEFECTIVE PRODUCT.

It is recommended not to use this product with fungicides or pesticides. However, if applied with a fungicide or pesticide, it is the users responsibility to conduct a trail application on the crop(s) to be sprayed with this mix of chemicals to determine compatibility of products and compatibility with crop(s) sprayed. When mixing with other spray materials a jar compatibility test is recommended. Always read label instructions.

Disclaimer



For Additional Purchase information
603 781 9097

Net Contents	
<input type="checkbox"/> 2.5 US Gallon / 26.85 lbs.	
<input type="checkbox"/> 5 US Gallon / 53.7 lbs.	
<input type="checkbox"/> 30 US Gallon / 322.2 lbs.	
<input type="checkbox"/> 55 US Gallon / 590.7 lbs.	
<input type="checkbox"/> 275 US Gallon / 2953.5 lbs.	

"COMMERCIAL USE ONLY"

Harmful if swallowed. Avoid contact with eyes, skin, and clothing. If on skin, wash with large amounts of soap and water. If in eyes, rinse repeatedly with clean water. If irritation persists, obtain medical attention.